


www.jcmglobal.com

The JCM Global Website provides the tools required to service all of our products. This includes a Software information database containing DIP Switch information, Customer Notifications, Product Manuals, Diagnostic Applications and more.

Parts are Parts



Sentry 1 Assembly

Part No. 550-100383R

Description: Sentry 1, UBA-SS 77mm

Usage: The Sentry 1 Bezel offers a visual display of UBA 10/11 Validator operations to both the Patron and Casino Staff. Two Indicator Panels display information regarding denominations accepted ①, last bill received as-well-as Diagnostic Codes ② or troubleshooting by the Floor Technician. For the Patron, the Denomination Panel displays acceptable denominations by illuminating a Green light. The last Banknote accepted will be displayed in Orange. The runway lights will sequentially flash into the Bezel indicating “ready” for Banknote or Ticket insertion. Upon insertion the lights will flash from side to side to indicate validating is in progress. For the Casino Staff the Front Panel provided a visual indication of a potential issue. If a symbol is lit then action is required to correct the issue.

Latest JCM Software Listing

UNIT	Country	ID*	Version†	Check Sum	CRC
UBA-10/11-SS	USA	ID-003	V2.08-31	3EA6	0E97
UBA-10/11-SS	USA	ID-024	V2.08-17	19A2	39B7
UBA-14/24-SS/SU	USA	ID-003	V-2.08-23		6B08
UBA-14/24-SS/SU	USA	ID-0G8*	V-2.08-66		31E6
UBA-14-SS & UBA-24-SS/SU	USA	ID-024	V2.08-28		6359
UBA-14-SS & UBA-24-SS/SU	USA	ID-028*	V2.08-18		1866
UBA-25-SS/SU	USA	ID-024*	V2.05-28	2CB2	
UBA-25-SS/SU	USA	ID-028*	V2.06-18	05D6	
iVIZION-SS/SU	USA	ID-003	V-1.70-15		97E6
iVIZION-SS/SU	USA	ID-024	V-1.70-12		0DAD
iVIZION-SS/SU	USA	ID-028	V-1.64-21		4821
UBA-10/11-SS	EUR5	ID-003*	V-2.05-38	7E8E	9527
UBA-10/11-SS	SWE	ID-003*	V-2.05-20	A3E5	95B2
UBA-10/11-SS	ZAF	ID-003	V-2.05-20	E57F	2F46
UBA-10/11/12-SS	BWA	ID-003*	V-1.96-20	D605	3342
UBA-10/11/12-SS	BGR	ID-003*	V-2.05-20	DA20	21D1
UBA-10/11/12-SS	NAM	ID-003*	V-2.05-20	D12C	A4C1
UBA-10/11/12-SS	TUR	ID-003*	V-2.05-24	557D	C70D
UBA-10/11/12-SS	DNK	ID-003	V-2.07-24	84B2	508E
UBA-10/11/12-SS	DNK+EUR5	ID-003E*	V-2.07-24	C19A	A0A3
UBA-10/11/12-SS	BIH	ID-003*	V-2.05-20	88F1	D73A
UBA-14-SS & UBA-24-SS/SU	EUR5	ID-003*	V-1.95-20		2BB1
UBA-14-SS & UBA-24-SS/SU	ZAF	ID-003*	V-2.05-20		0653
UBA-14-SS & UBA-24-SS/SU	GBR+SCO	ID-003*	V-2.06-21		6B08

* an asterisk signifies this ID# does not appear on the JCM Web Site.

† an “i” suffix indicates Intelligent Cash Box Option compatibility.

The list of JCM Banknote Validator Software provided herein notifies Customers of the latest Software Versions developed. However, the listing does not identify Versions approved by Gaming Jurisdictional Authorities for actual use. Customers should always consult the JCM’s Parts Sales Departments concerning approved Versions for use in their specific jurisdictions intended for operation.

Current Service Manual Releases

Product	Revision	Product	Revision
DBV-30X	4	DT-200 BlueWave 2	4
EBA-03	2	iVIZION	3
ICB	3	UBA-RC	A
Taiko (PUB-7/11)	3	TBV	1
TSP-02	D	ICB Service Manual	4
EBA-3X	4	ICB Web Reports Ops Manual	1
UBA 10/11/14/24/25	3a	VEGA-RC	1
iPRO	A*	iPRO-RC	A*

* NOTE: Release updated this Month.

Save Time and Labor with JCM’s Latest Intelligent Cash Box System

The ICB® (Intelligent Cash Box) system is a unique cash management system that allows the operator to track a Cash Box and its contents through the entire cash process. The ICB system eliminates the need for dedicating Cash Boxes to specific machines, or putting barcode identification labels on the Cash Boxes. The Cash Boxes are tracked electronically eliminating most variance issues, and with the custom reports provided to each department, accuracy and efficiency is greatly improved.





FREE REGIONAL TRAINING

Give your technicians the tools they need to keep your customers happy and your equipment running at peak efficiency.

For the local and regional training schedule visit:

<http://www.jcmglobal.com>


Technical Bulletin 201207 July 2012

Technical Tips

Question: Where can the DIP Switch function definitions be found for the iVIZION Validator?

Answer: The DIP Switch definitions and function can be located in two different places depending if the Test Functions are being sought, or if the Operational Functions are required.

All the iVIZION Performance Tests can be performed using the DIP Switches, though an external Switch is required to activate each Test. The DIP Switch Tests can be found in Chapter 6 of the iVIZION Operations and Maintenance Manual.

 **NOTE:** It is not recommended that the DIP Switches be used to perform functional Testing. All of the Diagnostic Tests can be accessed using the JCM Tool Suite Application. This is the recommended method for testing an iVIZION Unit.


The JCM Tool Suite is available at: <http://www.jcmglobal.com/en/support/downloads/tools.aspx>.

In Operational Mode, the DIP Switches enable or disable Banknote or TITO Acceptance. The definition for each Switch is found on the Software Information Sheet (SIS) for the Software Version installed in the Unit.

The various Software Information Sheets (SIS) are available at: <http://www.jcmglobal.com/en/support/downloads/SoftwareInfo.aspx>.

Example:

For iVIZION Software Version 1.70-15, ID003 USA, the Dip Switch Settings are as shown in Table ①.

 **NOTE:** For other Versions or Protocols, the DIP Switch settings may be different.

iVIZION DIP Switches		
No.	DIP Switch	
1	OFF	Ticket ENABLE
	ON	Ticket DISABLE
2	OFF	1 ENABLE
	ON	1 DISABLE
3	OFF	5 ENABLE
	ON	5 DISABLE
4	OFF	10 ENABLE
	ON	10 DISABLE
5	OFF	20 ENABLE
	ON	20 DISABLE
6	OFF	50, 100 ENABLE
	ON	50, 100 DISABLE
7	OFF	OFF
	ON	RESERVED
8	OFF	OFF
	ON	TEST MODE

DIP Switch Setting Table Example

iVIZION DIP Switch Settings



JCM TECHNICAL SUPPORT CONTACTS

Headquarters (Japan)

Sales and Service | 81-6-6703-8405 | hq-jp@jcmglobal.com

Europe, Africa, Russia, Middle East

Sales and Service | 49-211-530645-0 | hq-eu@jcmglobal.com

Australia, Oceania

Sales and Service | 61-2 9648 0811 | ipayne@jcmglobal.com

Southeast Asia

Sales and Service | 853 28 72 2648 | jim.teng@jcmglobal.com

North/South America/Canada/Caribbean

Toll Free Product Support | (800) 683-7248 or (702) 651-0000 | techsupport@jcmglobal.com

After Hours America's Support

JCM American prides itself in offering the best Customer Service in the industry. We prove this by offering a 24 hour hotline, where Technical Support Personnel can be reached at any time, 7 days a week. To reach our 24/7 after hour's hotline, just follow these three easy steps:
 1.) Call JCM American at (800) 683-7248. 2.) Select "Option 5" and wait for the call to be transferred to the JCM after hour's Technical Support line.
 3.) Speak with a certified JCM support technician about your situation.

JCM is a registered trademark of JCM American Corporation. All other product names mentioned herein may be registered trademarks or trademarks of their respective companies. Furthermore, TM and ® are not mentioned in each case in this publication.